

LEQ Ltd, Unit 6, Cullen Way,
Park Royal, London NW10 6JZ

T. +44 (0)20 8963 0866
F. +44 (0)20 8963 1076

info@lightweight-equipment.co.uk
www.lightweight-equipment.co.uk

THE RATE BOOK



THE RATE BOOK

PRESENTED BY
Tony Covell and Phillip Covell


LEQ Ltd, Unit 6, Cullen Way,
Park Royal, London NW10 6JZ

T. +44 (0)20 8963 0866
F. +44 (0)20 8963 1076

info@lightweight-equipment.co.uk
www.lightweight-equipment.co.uk



IN ASSOCIATION WITH MOTION FX LTD



THOMSON VIPER FILMSTREAM CAMERA

10 Bit Datastream
 Raid Protected capture via QUANTEL iQ
 Full Resolution 1920 x 1080 Pixels for true colour
 Designed by Thomson; Powered by Technicolor
 9.2 Mega Pixel CCD

Formats:

1080 = 24/25/30 fps
 720 = 60 fps slow mode
 Full Film Style Matt Box & Support System
 Follow Focus
 Portable LCD Monitor

ZEISS DIGI PRIMES

5mm T1.9 7mm T1.6
 10mm T1.6 14mm T1.6
 20mm T1.6 40mm T1.6

Specifically designed for HD Cinematography
 Superb images by ZEISS

Zeiss Collimator for easy adjustment of
 backfocus included.

IN ASSOCIATION WITH MOTION FX LTD

	P/Day	P/Wk
VIPER & ZEISS Package	2150.00	8600.00

N.B. Technician must be employed
 from LEQ/Motion FX due to the complexity
 of the equipment.

VIPER Camera Assistant (8 hours)	295.00
Overtime (T1.5 p/hour)	56.00

QUANTEL iQ

The most exciting development in post, which
 when added to the Viper Datastream Camera
 allows Production to begin at the point of
 capture on the studio floor. Start editing or
 manipulating your images on the studio floor
 and continue seamlessly through into the post
 realm. All work is Raid protected.

Location or Production Suite Availability	£2000.00
--	----------

N.B. Technician must be employed
 from LEQ/Motion FX due to the complexity
 of the equipment.


iQ Technician (8 hours)	375.00
Overtime (T1.5 p/hour)	71.00

Tapes £300.00 per 30 minutes duration (Data back-up)

VIDEO CAMCORDERS

P/Day
30 Days
Credit

P/Day
Pay Now



DIGITAL BETACAM SONY DVW-790WSP

Switchable 16:9 - 4:3 formats
SDI
Programmable set-up card
4" x 4" Matt Box
Canon J16x8 IRS Zoom Lens
Zoom demand & pan bar clamp
6 x PAG Super 13.2V onboard batteries
MC124 Charger
Weather cover
Sony quick release plate
Flight case or Soft bag
Head & Legs of choice (Subject to availability)

255.00	212.00
--------	--------

SONY DVW-700WSP

Switchable 16:9 - 4:3 formats
Programmable set-up card
4" x 4" Matt Box
Canon J16x8 IRS Zoom Lens
Zoom demand & pan bar clamp
6 x PAG Super 13.2V onboard batteries
MC2 Charger
Weather cover
Sony quick release plate
Flight case or Soft bag
Head & Legs of choice (Subject to availability)

195.00	166.00
--------	--------

VIDEO CAMCORDERS

P/Day
30 Days
Credit

P/Day
Pay Now



SONY DV CAM SONY DSR-570WSP

Switchable 16:9 - 4:3 formats
26 pin VTR CCU Connector
Programmable set-up card
4" x 4" Matt Box
Canon J15x8 IF Zoom Lens
Zoom demand & pan bar clamp
6 x PAG Super 13.2V onboard batteries
MC124 Charger
Weather cover
Sony quick release plate
Flight case or Soft bag
Head & Legs of choice (Subject to availability)

145.00	120.00
--------	--------




CANON XL1s

Mini DV, Interchangeable lenses, auto or manual lens
2 or 4 Channel audio.
Shoulder pad
16x Stabilisation Lens
3 x Batteries & Charger/AC adaptor
Remote Control
Matt Box
Wide Angle Adaptor
Head & Legs of choice (Subject to availability)

80.00	67.00
-------	-------

VIDEO CAMCORDERS




DSR-PD150P

High quality DVCAM, 3 x 1/3" 380K pixel CCDs
Reduced noise and vertical smear, Professional
Audio with two built-in XLR inputs, Memory card
Bright Colour swing out LCD panel
Built-in 12x electronic zoom lens
High res. B&W viewfinder
Autofocus & Steadyshot
USB port adaptor
3 x Batts & Charger
Wide Angle Adaptor
Matt Box
Head & Legs of choice (Subject to availability)

P/Day
30 Days
Credit

P/Day
Pay Now

85.00 75.00



DSR-PD10X

High quality DVCAM in component digital
High resolution TFT colour LCD touch panel
1/3" CCD chip block, True 16:9, USB port
Built-in 12x zoom lens & 48x digital zoom
Memory Stick, Wireless remote
High resolution B/W finder
Autofocus & Steadyshot
3 x Batts & Charger charger
Wide Angle Adaptor
Matt Box
Head & Legs of choice (Subject to availability)

65.00 55.00

MINI CAMS

P/Day
30 Days
Credit

P/Day
Pay Now

TOSHIBA IKTU 63 SYSTEM

Toshiba IKTU 63 1/3" SDI Camera
Fuji 4mm lens
Canon 6mm lens
CCU & Interface Unit
Batteries & Charger
Mains Unit

96.00 80.00

Remote Control Panel (Paint Box, Iris & Tally)

60.00 50.00

Additional:

16:9 Anamorphic Adaptor lens

35.00 30.00

2mm Fisheye Adaptor lens

8.00 6.00

6.6-18.5mm Miniature Zoom

With Zoom Controller & Clamp

40.00 35.00

Abekus Stadium Lens

110.00 95.00

Other Mini Cam Lenses

POA POA

DSR50 DVCAM VTR

w/built-in 2.5" LCD Monitor

55.00 45.00

Ikegami HD L20


The first High Definition Mini Cam
Coming soon!

POA POA

POLECAM SDI

P/Day
30 Days
Credit

P/Day
Pay Now



Polecam offers:

Smooth, floating jib arm shots
Relocation with ease
Body harness or Tripod use
Carbon fibre construction
Lightweight for travel

Polecam System Complete with:

Toshiba IKTU 63 1/3" SDI Camera
Remote Control Panel (Paint Box, Iris & Tally)
Fuji 4mm lens
CCU & Interface Unit
2 x Batteries & Charger
Small FX microphone at boom end
6 universal, sections (1 as spare)
Counterweights
Tripod & Rolling Spider
Harness
In 2 Custom designed transport bags

Canon 6mm lens
LCD Monitor
Mains Unit

250.00 225.00

Additional:

16:9 Anamorphic Adaptor lens 36.00 30.00
2mm Fisheye Adaptor lens 8.00 6.00
6.6-18.5mm Miniature Zoom
With Zoom Controller & Clamp 30.00 25.00

DSR50 DVCAM VTR

w/built-in 2.5" LCD Monitor 54.00 45.00

Water Cover 6.00 5.00

Operators (10 hours Base to Base) POA

8 T. +44 (0)20 8963 0866

VIDEO LENSES

P/Day
30 Days
Credit

P/Day
Pay Now

CANON

J9 x 5.2 KRS
Wide Angle Lens 5.2-47mm f1.6 90.00 76.00

J11 x 4.5 IRSD
Wide Angle Lens 4.5-50mm f1.8 100.00 85.00

J16x8B IRS
8-128mm f1.8 macro with 2x extender 58.00 48.00

J20 x 8B IAS
8-160mm f1.7 130.00 110.00

Zeiss Digi Primes (For HD)

Set Comprises:

5mm, 7mm, 10mm, 14mm, 20mm, 40mm 700.00

CENTURY WIDE ANGLE & FISHEYE ADAPTORS

0.6X Wide angle adaptor, fits lens front 24.00 20.00
Super Fisheye adaptor, to fit lens front 24.00 20.00

LENS ACCESSORIES

MATTBOXES

We can supply a variety of manufacturers
mattboxes to suit various applications;

When Hired with OUR equipment only:

CANON	CENTURY		
CHROSZIEL	FUJI		
VAN DIEMEN	VOCAS	TLS	POA POA

CHROSZIEL FOLLOW FOCUS

Fits to bar system 24.00 20.00

CANON & FUJI FOCUS PACKS

Please note that Different Lenses require
Different Packs. If we are not informed what
the lens is before the date of hire; we cannot
take responsibility

24.00 20.00

T. +44 (0)20 8963 0866 9

PORTABLE RECORDING

	P/Day 30 Days Credit	P/Day Pay Now
--	----------------------------	------------------

DSR50

DVCAM Portable VTR
w/built-in 2.5" LCD Monitor

	54.00	45.00
--	-------	-------



DSR-DU1

DVCAM Video Disk recorder
DSR570 Accessory

	42.00	35.00
--	-------	-------

DSRV10

DVCAM Video clam shell Walkman with i-link

	42.00	35.00
--	-------	-------

Sony GV D300E

Mounted with Steadicam Master/Ultra
accessory clamp, Batts & Cables

	30.00	25.00
--	-------	-------

Sony GV D900E

Clam shell recorder player with LCD screen

	36.00	30.00
--	-------	-------

MONITORS

9" Sony PVM-9045
16:9 - 4:3 switchable & SDI

	36.00	30.00
--	-------	-------

9" Sony PVM-9041 or 9044QM
16:9 - 4:3 switchable

	30.00	25.00
--	-------	-------

VIDEO ACCESSORIES

RM-P150 REMOTE CONTROL UNIT

Controls DVW-790 via 6-pin cable,
100 mtr max

	48.00	40.00
--	-------	-------

RM-P9 REMOTE CONTROL UNIT

Controls DVW-700P via 6-pin cable,
100 mtr max

	40.00	33.00
--	-------	-------

10 T. +44 (0)20 8963 0866

VIDEO ACCESSORIES CONT'D

	P/Day 30 Days Credit	P/Day Pay Now
--	----------------------------	------------------

Mains unit
Pag Light

	15.00	12.00
	20.00	17.00

PAG LOCK BATTERY KIT

4 x Super Paglock 13.2V DC Batts
MC124 Charger & Mains Lead

	42.00	35.00
--	-------	-------

BLOCK BATTERIES

Hollywood Power House, By CinePower
12/24V DC/5AH,

2 Power House Block batteries
2 Power House Chargers
Supplied in fitted case

	36.00	30.00
--	-------	-------

CABLE DRUMS, LEADS TROLLEYS & STANDS

Mains
4 - Pin Canon - 4 - Pin Canon
3 - Pin Canon - 3 - Pin Canon Power
3 - Pin Canon - 3 - Pin Canon Sound
BNC - BNC
Any Standard Stock lead
Special Requirement Leads
Vision Truck
Trolleys
Monitor stands

	6.00	5.00
	6.00	5.00
	6.00	5.00
	6.00	5.00
	6.00	5.00
	6.00	5.00
	POA	POA
	12.00	10.00
	12.00	10.00
	12.00	10.00

FLUID HEADS

We carry a range of Fluid Heads from
the following manufacturers:

CARTONI MANFROTTO
O'CONNOR SACHTLER VINTEN

Individual pricing available:

	POA	POA
--	-----	-----

TRIPODS

RONFORD/SACHTLER/VINTEN/MANFROTTO

Any fitting tall & spreader
Any fitting short & spreader
3 Stage legs & spreader

	18.00	15.00
	18.00	15.00
	24.00	20.00

T. +44 (0)20 8963 0866 11

SOUND


P/Day
30 Days
Credit

P/Day
Pay Now

With 'SOUND DEVICES' Products

442 STEREO SOUND KITS

Can also be used for MONO




4 channel stereo mixer
Headphones

Microphones:

1 x SENNHEISER 416T
2 x SONY ECM 77B
Short Boom Pole
All leads etc

84.00 70.00

302 STEREO COMPACT



3 channel stereo mixer with Channel 4 & 5 option
Headphones

Microphones:

1 x SENNHEISER 416T
2 x SONY ECM 77B
Short Boom Pole
All leads etc


84.00 70.00

SOUND

P/Day
30 Days
Credit

P/Day
Pay Now

'USB Pre' INTERFACE



2 Channel microphone interface for
Computer audio. Selective MAC or Windows
(Ask for specs.)

36.00 30.00

MIXERS

442 STEREO MIXER

Comes with Headphones
& all accessories

36.00 30.00

302 STEREO COMPACT

Comes with Headphones
& All accessories

24.00 20.00

LENS CONTROL

PRESTON 3-AXIS WIRELESS 'F.I.Z.' SYSTEM


The PRESTON F.I.Z. System provides Digital control of Focus, Iris, Zoom & camera run functions. Zoom commands are provided by the industry standard Digital MICROFORCE control.

Features:

- Quick set-up with scale adjustment.
- Normal scale range reset button.
- Extremely high resolution (16 bit)
- Incredible smoothness.
- Universal camera run interface.
- High precision digital motors.
- Automatic lens scale calibration.

ML - 1 Microwave Transmitter & Receiver.

operates in the 2.4-2.5 Ghz band, satisfying radio emission requirements for the U.S, Europe & Japan. This allows highly precise transmissions even in the presence of interference.



Includes:

FI+Z Master Handset
2.4 GHz Microwave Link
Charger
Digital Microforce Control
Remote Iris control
6 x Removable Focus Discs
.80m x .25" Gears
32 pitch gear (PV Focus)
64 pitch gear (PV Iris)
.60m gears (Fuji Video)

MDR1 Digital Motor Driver
2 x Txm & Rcvr Antennas
4 x ML-1 12V NiMH 1.2 AH batts

GPI Focus Disc Modification
3 x DM-1 Digital Motors
.80m x .50" Gear
48 pitch gear (PV Zoom)
.50m gears (Canon video)

Brackets:

DMF - FI+Z mounting bracket
Steadicam Master - MDR-1
3 x 19mm/PV Bushing
(Pure internal radius - Toolless
LEQ MDR-1 Mounting Plate

Pro system - MDR-1 Bracket
3 x 19/15mm Bushing
3 x LEQ Dog Leg Brackets
LEQ Universal Pan Bar Bracket
3 x Hill - PAM Motor Mounts

Cables:

Arri ZV Box
6 x Motor cables
2 x DMF - FI+Z 25ft
1 x 30ft 4-pin - 4-pin XLR
2 x FI+Z Pwr cable 12V 8ft 4-pin XLR
2 x FI+Z Pwr cable 24V 8ft 3-pin XLR

2 x Main Command cable 30'
2 x DMF - FI+Z 10.5"
2 x Remote Iris cables 8ft
1 x 30ft 3-pin - 3 pin XLR
2 x IEC Power leads
2 x Pro/MDR-1 12/24V cables

Choice of (Pairs):

Turnover cable: Arri 35BL/35MkIII/SRII
Arri 535/435/SR3
Panavision
Moviecam
Aaton
Canon Video
Fuji Video

3-Axis System

P/Day 30 Days Credit	P/Day Pay Now
150.00	125.00

DIGITAL MICROFORCE

With Motor, Cables & Accessories.

60.00	50.00
-------	-------

POWER BATTERIES

Hollywood Power House, By CinePower
12/24V DC/5AH,
2 Power House Block batteries
2 Power House Chargers
Supplied in fitted case

36.00	30.00
-------	-------

DOLLIES

P/Day
30 Days
Credit

P/Day
Pay Now



CHAPMAN SUPER PEEWEE III Plus (New 2003 - Chapman's latest)

(Mitchell Mounting)
4-Way Leveller
90° Tilt Nose (for quick low mode)
2 Seats & Seat risers
Front Board
Narrow & Wide Side Board
Overhead standing board
Hard Studio/Track wheels
16" Tongue
Boss & bolt
Double push bar
6" & 12" risers
Narrow tracking bar
Euro Boss to Bolt
150 or 100mm Bowls

150.00 130.00

DOLLIES

P/Day
30 Days
Credit

P/Day
Pay Now



THE 'PUP' Video Dolly (Exclusive to LEQ) (Mitchell mounted)

Hydraulic rise & fall 2 & 4 Wheel Crab facility

Electric pump 240V AC
Controllable speed
Hard Studio tyres
Track Wheels
Mitchell/Euro Adaptor
Low shot bracket
2 x Seats & risers
2 x Side footboards
1 x Front footboard
150 or 100mm Bowls

100.00 85.00

DOLLIES

ELEMACK SPYDER

(Euro Boss mounted)
Studio wheels
Track Wheels
2 Seats & Seat arms
Weight arm & weight
150 or 100mm Bowls


	P/Day 30 Days Credit	P/Day Pay Now
--	----------------------------	------------------

	72.00	60.00
--	-------	-------

Column lock set, for Jib Arm use.

	12.00	10.00
--	-------	-------

DOLLIES



MATTHEWS DOORWAY DOLLY

Pneumatic wheels
Foot pump
Steering & Push bars
2 x Side boards

	P/DY	P/WK
--	------	------

	54.00	45.00
--	-------	-------

Hot Button Track Wheels (Can-Do Curves!)

	12.00	10.00
--	-------	-------

FOCUS BRIEFCASE DOLLY

Fold out platform with Push bar & Track wheels

	48.00	40.00
--	-------	-------

DOLLIES



ABC "WILLIGO" DOLLY

'Low profile or what?'


Lightweight Board Dolly
With skate board wheels

	P/Day 30 Days Credit	P/Day Pay Now
--	----------------------------	------------------

	36.00	30.00
--	-------	-------

Sleeperless Pole-Track

	48.00	40.00
--	-------	-------



MATTHEWS CENTEPEDES

'The Dolly's Dolly!'

Zip along the track on skates

	12.00	10.00
--	-------	-------

WALLY DOLLY

Wally Dolly is lightweight & robust.
Performing smoothly with any camera
package up to a 'Digi Beta'. Comes with
4mtrs of track, 'T' dolly and High hat.

	36.00	30.00
--	-------	-------

JIB ARMS

P/Day
30 Days
Credit


P/Day
Pay Now



LIBEC J30U

36.00

30.00




TROVATO JIB

Lightweight Jib Arm

30.00

25.00




CAMBO V5 JIB

Lightweight telescopic jib arm for loads up to 3kg

30.00

25.00

JIB ARMS



ULTRA CRANE

'Jib in Parallel Dimensions'

(Euro Boss mounting)

The Ultra Crane has the unique ability To scissor and pivot around its own central pivot point, allowing a variety Of uses. Reach out along any axis, or Use it as a variable reach jib.

Ultra Crane is conveniently fitted with A Euro boss to mount on its own variable column 'Columbus' on the 'Gazelle' rolling spider, or will fit any Euro boss fitted dolly. Use 150mm or 100mm fluid heads.

P/Day
30 Days
Credit


P/Day
Pay Now

Ultra Crane
Ultra Crane, Columbus Column,
Gazelle Base

48.00
72.00

40.00
60.00

SSE UNIVERSAL CAR MOUNT



UNIVERSAL CAR MOUNT

	P/Day 30 Days Credit	P/Day Pay Now
--	----------------------------	------------------

	48.00	40.00
--	-------	-------

TRACK

MATTHEWS

Straight; Available in	8Ft.	10.00	8.00
	6Ft.	7.50	6.00
	4Ft.	5.00	4.00

Curves (8 Per full circle)

Inside Diameter	16Ft.		
Outside Diameter	20Ft. Each	12.00	10.00

MOY TRACK

Stainless Steel Precision Design

Straight; Available in	8Ft.	14.50	12.00
	6Ft.	11.00	9.00
	4Ft.	7.50	6.00

Curves (8 Per full circle)

Inside Diameter	16Ft.		
Outside Diameter	20Ft. Each	18.00	15.00

SSE TURBO TRACK

Light steel track that folds up. Carried in a bag of 5Ft.

Kit comprises:

5 x Straights (25Ft.)

3 x Curves _ Circle Soft bag

	48.00	40.00
--	-------	-------

DOLLY & GRIP ACCESSORIES



	P/Day 30 Days Credit	P/Day Pay Now
--	----------------------------	------------------

GRIP ACCESSORIES

Peewee carry handles	12.00	10.00
4-Way leveller Moy/Vinten/Euro	12.00	10.00
4-Way leveller (Mitchell/Vinten)	12.00	10.00
100mm Bowl	12.00	10.00
100mm Offset Bowl 12"	12.00	10.00
150mm Bowl	12.00	10.00
150mm Offset bowl	12.00	10.00
Bazooka & Base by SSE (with 5 pieces)	36.00	30.00
Bazooka & Base by Moy (5 pieces & Drop leg)	50.00	40.00
SSE Wind-up Bazooka section	24.00	20.00
Twin Tube Paddle mount (Mitchell mount)	36.00	30.00
Single Tube Paddle mount (Mitchell mount)	24.00	20.00
Ladderpod	36.00	30.00
Scaffold Clamp Plate & Euro Boss	12.00	10.00
Hi-Hat (on board) (150mm or Mitchell)	12.00	10.00
Risers 4", 6", 10", 20" etc. (Euro or Mitchell)	12.00	10.00
Ground sheet	6.00	5.00
Grovel Pad	6.00	5.00
Ratchet Strap (Set of 6)	12.00	10.00
Umbrella 48" diameter	6.00	5.00
Camera boxes Per set (Stacking)	12.00	10.00
Tracking Board (8ft x 4ft)	6.00	5.00
Tracking Board (4ft x 4ft)	6.00	5.00
Tracking Frame (8ft x 4ft)	6.00	5.00
Tracking Frame (4ft x 4ft)	6.00	5.00
Grips Box (inc. 2,4,6's)	12.00	10.00
Paganinis Per Stack	12.00	10.00
Wedges Per Sack	12.00	10.00
246's Per Sack	12.00	10.00
Moy to Euro Boss adaptor	12.00	10.00
Moy to 150mm Bowl riser/adaptor	12.00	10.00
Boss to bolt adaptor	12.00	10.00

REMOTE CRANES

JIMMY JIB GENESIS ONLY AVAILABLE FROM LEQ



Answers all the frustrations of High-End crews when using Jimmy Jibs!

DIGITAL Remote-Head
Water Resistant
Joystick, Hand-wheel, Pan Bar Control
Film - Preston Lens Control System
One-man Operation. Film or Video

360° 3rd Axis Option
One Revolution under 2 Sec's
Key-Pad Memory Functions
Video - Lens Servo Control
and much, much more...

As always with any LEQ Jimmy Jib

Euro Boss Fitting
Fully anodised crane arm
Stainless steel fittings
Cine Power battery system
True mains unit

Universal compatibility
Anti corrosion protection
Anti corrosion protection
Constant and reliable batteries
Constant and reliable mains

VIDEO Or FILM

One-man operation available
Remote Pan & Tilt
Focus, Iris & Zoom
Camera Run

(Static base - Total Control)
(Digital)
(Video or Film Lens Servos)

Set-Ups	Height (Under slung)	Reach
Standard	11ft	6ft
Giant	19ft	12ft
Super Giant	23ft	18ft
Super Plus	28ft	24ft
Extreme	26ft 6"	30ft
Reach '40'	35ft	40ft
Payload:	MAX	50lbs/22.5kg

24 T. +44 (0)20 8963 0866

REMOTE CRANES

JIMMY JIB 'GENESIS' PACKAGE

Including:
Digital Remote Head
Triangle Jib Arm
Tripod & Rolling base system
6, 12, 18, 24 & 30ft set-ups
Stanton MKIV Remote system (Basic) Cables & Leads

	P/Day 30 Days Credit	P/Day Pay Now
Jimmy Jib 'GENESIS' Package Technician (10 Hour Day*) Transport**	750.00	620.00
Jimmy Jib 'GENESIS' Package Operator (10 Hour Day*) Transport**	750.00	720.00

*Rates are base to base past 50 miles or 1 hr travelled

**Up to 50 miles travelled. 50p p/mile thereafter

OPTIONS

360° 3rd Axis	85.00	70.00
Preston 3-Axis Lens Control System	150.00	125.00
Reach 40' kit Go another 10ft!!	36.00	30.00
Reach 40' Wide Tracking Base	72.00	60.00
ATB Tracking Base	60.00	50.00

ATB Tracking Package

ATB Base + 48ft Track + Wood etc	180.00	150.00
----------------------------------	--------	--------

REACH 40' Tracking Package

Wide Base + 48ft Wide Track + Wood etc	200.00	170.00
--	--------	--------

Additional Crew



POA

T. +44 (0)20 8963 0866 25

TRACKING With JIMMY JIBS


The JIMMY JIB comes with its own tripod & rolling base system, which does not fit conventional track. However, for complicated tracking it can be mounted on our specially designed ATB bases which feature:

Pneumatic or Hard Studio Wheels	Tall & Short Column
Track Wheels for 24.5" Track	4-Way Leveller (Euro fitting)
Roll-on Roll-off track facility	Max azimuth on crane arm



REMOTE CRANES

JIMMY JIB TRIANGLE



Presented as always, with features only available from LEQ

Euro Boss Fitting	Universal compatibility
Fully anodised crane arm	Anti corrosion protection
Stainless steel fittings	Anti corrosion protection
Cine Power battery system	Constant and reliable batteries
True mains unit	Constant and reliable mains

Easily assembled to a variety of lengths, the 'JIMMY JIB' is a remote jib arm for **VIDEO** or **FILM** cameras. The remote head can be controlled simultaneously to the crane arm, by the Camera Operator from the rear of the crane, or up to 75 Ft. away. The remote head control unit allows the operator, the following functions:

VIDEO

One-man operation	(Static base)
Remote Pan & Tilt	(Non-servo system)
Zoom	(Through video lens servo)
Focus & Iris Control	(Basic control system)
VCR On/Off Control	

FILM

One-man operation	(Static base - Limited controls)
Remote Pan & Tilt	(Non-servo system)
Zoom, Focus & Iris	(By use of independent Lens Control System)

Set-Ups	Height (Underslung)	Reach
Standard	11ft	6ft
Giant	19ft	12ft
Super Giant	23ft	18ft
Super Plus	28ft	24ft
Extreme	26ft 6"	30ft
Reach '40'	35ft	40ft
Payload:	MAX	55lbs/24.5kg

REMOTE CRANES

JIMMY JIB TRIANGLE PACKAGE

Including:

Tripod & Rolling base system 6, 12, 18, 24 & 30ft set-ups
Stanton MKIV Remote system (Basic) Cables & Leads

	P/Day 30 Days Credit	P/Day Pay Now
DRY HIRE	300.00	250.00

We offer discounted packages with our own Crew detailed below:

WITH CREW

Jimmy Jib Package Technician (10 Hour Day*) Transport**	530.00	480.00
--	--------	--------

Jimmy Jib Package Operator (10 Hour Day*) Transport**	630.00	580.00
--	--------	--------

*Rates are base to base past 50 miles or 1 hr travelled

**Up to 50 miles travelled. 50p p/mile thereafter

OPTIONS

Dutch Roll Kit 120°	36.00	30.00
Preston 3-Axis Lens Control System	150.00	125.00
'Reach 40' kit Go another 10ft!!	36.00	30.00
Reach 40' Wide Tracking Base	72.00	60.00
ATB Tracking Base	60.00	50.00

ATB Tracking Package

ATB Base + 48ft Track + Wood etc	180.00	150.00
----------------------------------	--------	--------

'REACH 40' Tracking Package

Wide Base + 48ft Wide Track + Wood etc	200.00	170.00
--	--------	--------

Additional Crew	POA	
------------------------	-----	--

CRANES

JIMMY JIB 'LITE' 3-AXIS

If you have a lightweight camera, use a lightweight jib!


All the toys from the full size 'Jimmy Jib' on a lesser scale. You can dry hire and play yourself, alternatively book it with one of our experienced Operators or Technicians.

Remote Pan, Tilt & Roll
Remote Focus, Iris & Zoom
AC or DC Operation

Set ups:	6ft	1.8m
	12ft	3.6m
	18ft	5.4m
Max Payload:	15lbs	6.8kg

JIMMY JIB 'LITE' 3-AXIS

P/Day 30 Days Credit	P/Day Pay Now
180.00	150.00



CRANES




ABC 'SPEEDY' LIGHTCRANE

It's back to basics with this ultra light modular jib. NO remote head so no pan facility. However, using an ingenious pulley system you can change the angle of the camera to maintain level, or change pitch during shot. Ideal if you're travelling light!

REACH		PAYLOAD	
23ft 4"	7.1m	22lbs	10kg
19ft	5.8m	22lbs	10kg
14FT 9"	4.5m	28.7lbs	13kg
10ft 6"	3.2m	28.7lbs	13kg
6ft 3"	1.9m	28.7LBS	13kg


Dimensions Packed: 8x12x63" 20x30x160cm

	P/Day 30 Days Credit	P/Day Pay Now
ABC 'SPEEDY' LIGHTCRANE	85.00	70.00




REMOTE HEADS

PEE POD 500 DIGITAL REMOTE HEAD



Lightweight DIGITAL Remote-Head
Water Resistant
One Revolution in less than 2 Sec's
Joystick, Hand-wheel or Pan Bar Control
Film - Preston Lens Control System
2-Axis weight 16.5lbs - 7.5kg
And much, much more...



360° 3rd Axis Option
Payload of 50lbs - 22.5kg
Key-Pad Memory Functions
Modular
Video - Lens Servo Control
3-Axis weight 26.5lbs - 12kg

PEE POD 500 PACKAGE

With:
2-Axis Configuration
Key-Pad Memory Control
Video or Film Accessory & Power Box
Joystick or Hand Wheels
240V AC Supply

Hollywood Power House batteries,
12/24/30V DC/7AH
All Cables etc.

OPTIONS

360° 3RD Axis Option	85.00	70.00
Preston 3-Axis Lens Control	150.00	125.00
Integrated Pan Bar System Control	POA	

Recommended to get the best from the PEE POD!!

Technician (10 hours Base to Base)	POA
Technical Cam. Op. (10 hours Base to Base)	POA

P/Day 30 Days Credit	P/Day Pay Now
----------------------------	------------------

230.00	190.00
--------	--------

REMOTE HEADS

	P/Day 30 Days Credit	P/Day Pay Now
--	----------------------------	------------------

REMOTE HEAD ACCESSORIES

Control Centre Trolley	12.00	10.00
Scaffold mount	12.00	10.00
Additional Batteries & Charger	42.00	35.00

NOTES ABOUT REMOTES

REMOTE HEAD PACKAGES

Our Remote Head Packages are intended to give the HIRER a basic guide to what they may need for particular applications, and at what budget. They can be changed to suit your job. However, we advise that you consult our staff as to what those changes may, or may not allow you to do; Or what affect they will have on your budget.

JIMMY JIB 'Standard' HEADS & CONTROLS

The 'Standard' JIMMY JIB remote head uses BASIC technology motors, and not servos, and though it performs many functions, and works at reasonable speeds it is NO replacement for a Digitally controlled system such as the PEE-POD 500.

We take NO responsibility if the 'Head' does NOT perform to your expectations.

CANON & FUJI FOCUS PACKS

Please note that Different Lenses require different Packs. Some lenses have servos built in, others are Digital and require adaptor leads. If we are not informed exactly what lens is to be used prior to the hire; WE WILL NOT TAKE RESPONSIBILITY FOR MIS-MATCHED UNITS.

TRANSPORT

DELIVERIES/COLLECTION*

We prefer NOT to provide this service! With exception to certain equipment such as Cranes, or in conjunction with large equipment schedules or equipment supplied with technical personnel. Some rental rates therefore include a provision for delivery and collection

Equipment Deliveries/Collections

Minimum Charge 45.00 each way

Mileage chargeable over 50 miles at 50p per mile

Waiting time 15.00 per hour.

Driving time over 1 hour each way 15.00 per hour

Hired-in equipment may carry a transit fee

INSURANCE

An insurance service charge of 15% of equipment hire cost is chargeable unless prior arrangements are made. The client is responsible for the first 750.00 of any claim, plus loss of hire during repair or replacement to a maximum of thirteen weeks. see conditions of business/notes to hirer.

N.B. Notification required at time of booking equipment

PAYMENT

LEQ offers two terms of payment for most equipment, though, there are exceptions. You will find two columns on each page for the daily price:

30 Days Credit	Payment strictly within 30 Days net Interest charged at 5% p/month thereafter
-----------------------	--

Pay Now	Pay up-front by Cheque, Credit Card, Cash or Wire Transfer
----------------	---

We accept payment by the following Credit Cards:

American Express
Visa
Mastercard
Visa Debit
Switch
Electron
Solo

NOTES TO THE HIRER 2003

These notes do not constitute part of our Standard Conditions of Hire ("The Conditions") but are intended to point out certain aspects of "The Conditions" of which we think you should be especially aware before the start of the hire period.

1. **Copies of the "Conditions" are available on request.**
 2. Please check carefully on delivery of the equipment that any equipment supplied by us is in perfect condition and complete.
We cannot be responsible for any defect or deficiencies discovered after it leaves our premises, other than (where appropriate) in accordance with those exceptional circumstances laid out in our full terms and conditions. **The acceptance of the equipment to your care will constitute your agreement to our terms and conditions of business,** these are available upon request and are printed in note form in our brochure. **They are not negotiable under any circumstances.**
 3. **You are reminded that you are under an obligation to insure the equipment against loss or damage** and the risks set out in Condition 14 for its full replacement. If you arrange your own insurance; cover should be at replacement value; and details of this are available on request. You should ensure that your insurance is not invalidated by travel overseas, or by any other clause, such as terrorism, abnormal or hazardous use or travel involving non-scheduled flights. **You are also advised to insure every aspect of your project in which you use our equipment against every risk including delay, loss of hire due to damage etc.** We should be named in any insurance policies and if we require it you must notify us of any and all such insurances which you take out in respect of the equipment during the hire period. **Marine policy packing clauses are not acceptable to the Company and should be excluded from your own policy.**
 4. **If you do not notify us that you have taken out insurance we may arrange insurance cover with our own insurers and are entitled to charge you for this service pursuant to Condition 14 (15% of hire charge).**
 5. **All invoices are subject to a minimum hire charge of £25.00 + VAT.**
 6. **Any filter or equipment removed from a sealed bag, and returned damaged will be charged at replacement cost.**
 7. **All prices quoted within this brochure are to be read as Pounds Sterling. The prices within are subject to change without notice or may be superseded by more recent publications.**
- 34 T. +44 (0)20 8963 0866

All information is correct at time of going to print.

VB 002

© LEG MAY 2003

1036 - DESIGN BY www.np10.com